

598.00 EUR

incl. 19% VAT, plus [shipping](#)

- Open-Frame !
- Auto Power On !
- 1024x768 !
- 1200:1 Contrast !



With the new Open-Frame TFT display-series from CarTFT you get back control : The ruggedized metal frame enables you a stable installation. The single modules (Mainboard, Touchscreen controller, Power inverter and button-frame) can be screwed off from the rear side and being positionated elsewhere. This way you can install the connector cables more easier and the display thickness shrinks also.

**Note :** This Open-Frame TFT display is an offer primarily meant for business and project customers. End consumers should only handle with unprotected electronic parts with appropriate experience.

**Possible additional options (starting from a MOQ of 20 units):**

- Speakers
- Auto-Dimmer
- Different cable lengths
- Other display models/sizes
- Touchscreen RS232 instead of USB
- Other connector types
- [...] Ask us !

**Additional informations :**

With the touchscreen functionality you easily can control your PC. The brilliant VGA-display ensures a maximum readability and sharpness.

AC-Adapter for home usage and a car cigarette lighter adapter is included.

The CTF-1040-M can be used with any PC/MAC with VGA- and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,...
- Macintosh OS 9.x, 10.x
- DOS,...

| <b>Spezifikationen</b> |                                                                            |
|------------------------|----------------------------------------------------------------------------|
| Screen size            | 10.4" digital                                                              |
| Aspect Ratio           | 4:3 wide TFT screen                                                        |
| Dot Resolution         | 3072x768= 2,359,296 dots                                                   |
| Physical Resolution    | 1024x768                                                                   |
| Viewing angle          | 176° H/V (Super MVA Technology)                                            |
| Supported Resolutions  | 640x480-1920x1080                                                          |
| Color configuration    | RGB stripe                                                                 |
| Power input            | DC 9-32V                                                                   |
| Power consumption      | max. 12W                                                                   |
| Video system           | 2x Video inputs (PAL/NTSC)<br>1x VGA input                                 |
| Dimensions             | Dimensions : 231 x 178.9 x 39.9 mm<br>Display : 210.4 x 157.8 mm           |
| Video input signal     | 1.0Vp-p, composite video                                                   |
| Features               | Full function OSD control (englisch)<br>Auto Power On/Off                  |
| What is included ?     | - 10.4" VGA Open-Frame Capacitive Multi-Touchscreen TFT with Video-support |

|  |                             |
|--|-----------------------------|
|  | - Power Adapter f. EU 230V  |
|  | - Cigarette Lighter Adapter |
|  | - Touchscreen Driver-CD     |
|  | - Manual                    |